



DRESTER QUICKRINSE BY HEDSON

Quick, thorough spray gun cleaning

The Drester QuickRinse by Hedson has been developed to provide quick, thorough spray gun cleaning for water or solvent paints, especially for use with disposable cup system. It can be easily installed anywhere in the paint shop, including inside the paint booth when used as a water-borne cleaner. Installation is simple and easy, either with the use of magnets for attachment to the booth or mixing room walls or more permanently with zip screws. Save time by keeping the gun cleaner close to the paint job.



COST & TIME SAVING

The unit can easily be installed anywhere in the paint shop, including inside the paint booth when used as a water-borne cleaner. Perfectly clean spray gun in 10 seconds gives time and cost savings



QUICK & THOROUGH CLEANING

The Drester QuickRinse by Hedson has been developed to provide quick, thorough spray gun cleaning for water or solvent paints, especially for use with disposable cup system



PROPER PRESSURE

A manual gun cleaner for water-borne paints, equipped with the well-proven diaphragm pump to allow for proper flow and pressure

TECHNICAL SPECIFICATION

Drester QR-10 Part.no. QR-10

Drester QR-20 Part.no. QR-20

Drester QR-TT Part.no. QR-TT

DRESTER QR-10

Height 645 mm (25,5")

Width 535 mm (21,0")

Depth 263 mm (10,5")

Compressed air needed 5-12 bar (80-180 psi), 100 l/min (4 cfm)

Pump capacity 2 l/min

Permitted solvents Water or water-based solvents

Liquid volume of machine 5 + 5 liter

DRESTER QR-TT

Height 667 mm (26,3")

Width 565 mm (22,2")

Depth 264 mm (10,4")

Compressed air needed 5-12 bar (80-180 psi), 100 l/min (4 cfm)

Pump capacity 2 l/min

Permitted solvents LEFT BOX: Water or water-based solvents RIGHT BOX: Solvents and solvent mixtures

Liquid volume of machine 3 l/solvent (amount of water depending on chosen size of container)

DRESTER QR-20

Height 461 mm (18,1")

Width 306 mm (12,1")

Depth 273 mm (10,8")

Compressed air needed 5-12 bar (80-180 psi), 100 l/min (4 cfm)

Pump capacity 2 l/min

Permitted solvents Solvent and solvent mixtures

Liquid volume of machine Amount of wash fluid depending on chosen size of container

OPTIONS

Minivent (3ph. 380V, 250W) Part.no. 2050

Minivent (3ph. 415V, 250W) Part.no. 2055

Minivent (1ph. 230V, 250W) Part.no. 1294

Collecting tray Part.no. 10960

Moisture trap Part.no. 4020

Airvent (Ø80 mm) Part.no. 14010

Brush Part.no. 14231-A

Hose extension kit (QR-10)	Part.no. 14310
Elbow and collar (QR-20, QR-TT)	Part.no. 15130
Airvent (QR-20, QR-TT)	Part.no. 15140
Hose extension kit (QR-TT)	Part.no. 15220